Test Type: CHRONIC

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Species/Strain: MICE/B6C3F1

F1_M3

C Number: C96015

Lock Date: 04/30/2004

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Date Report Regsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

) Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
Disposition Summary					
Animals Initially in Study	50	50	50	50	
Early Deaths				4	
Accidently Killed Moribund Sacrifice	4	5	2	1 3	
Natural Death	6	5	13	4	
Survivors	Ü	· ·	10	•	
Terminal Sacrifice	40	40	35	42	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Intestine Large, Cecum	(48)	(48)	(48)	(50)	
Edema	(- /	5 [2.0]	(- /	4 [2.0]	
Inflammation, Chronic		1 [3.0]			
Intestine Large, Colon	(50)	(50)	(50)	(50)	
Cyst	1 [3.0]				
Intestine Small, Duodenum	(47)	(48)	(47)	(49)	
Hemorrhage	1 [4.0]	(50)	(40)	(40)	
Intestine Small, Ileum	(47)	(50)	(48)	(49)	
Intestine Small, Jejunum Hyperplasia, Lymphoid	(47)	(49)	(48)	(49)	
Liver	1 [4.0] (50)	2 [2.5] (50)	(50)	(50)	
Basophilic Focus	2	3	4	(30)	
Clear Cell Focus	27	23	20	16	
Cyst		2 [3.0]		. •	
Eosinophilic Focus	7	8	8	10	
Hematopoietic Cell Proliferation		1 [2.0]			
Hemorrhage		2 [2.5]			
Infiltration Cellular, Mixed Cell	1 [2.0]	4 [1.8]	1 [4.0]		
Inflammation, Chronic		1 [2.0]			
Mixed Cell Focus	2	4	4	4	
Necrosis, Focal	3 [2.7]	1 [4.0]	6 [1.8]	3 [2.0]	
Centrilobular, Necrosis	2 [2.0]	2 [3.5]	2 [2.5]	0.10.01	
Hepatocyte, Vacuolization Cytoplasmic	12 [3.0]	6 [3.0]	7 [3.1]	2 [3.0]	
Mesentery	(12)	(12)	(5)	(2)	
Hemorrhage			1 [4.0]	1 [4.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Time Report Reqsted: 07:41:52

Date Report Regsted: 07/11/2006

First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
Fat, Necrosis	9 [3.0]	10 [2.5]	4 [3.3]		
Pancreas	(50)	(50)	(50)	(50)	
Cyst	1 [3.0]	(50)	(50)	(50)	
Salivary Glands	(50)	(50)	(50)	(50)	
Atrophy Hyperplasia, Lymphoid	1 [1.0]	4 [2 0]	2 [2 0]	1 [3.0]	
Inflammation, Suppurative	7 [2.0]	1 [2.0]	3 [2.0] 1 [2.0]	2 [2.0]	
Inflammation, Chronic Active	1 [3.0]		1 [2.0]		
Necrosis	1 [0.0]			2 [2.0]	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Edema	1 [2.0]	()	()	()	
Erosion		1 [2.0]			
Ulcer	1 [2.0]		1 [1.0]	1 [3.0]	
Epithelium, Hyperplasia	1 [3.0]	4 [2.5]	1 [2.0]	6 [1.7]	
Stomach, Glandular	(50)	(49)	(50)	(50)	
Cyst			1 [3.0]	1 [3.0]	
Erosion	1 [2.0]	1 [3.0]	4 [2.5]		
Necrosis	4 [0.0]			1 [2.0]	
Glands, Hyperplasia	1 [3.0]	(0)	(4)	(0)	
Tooth Malformation	(3) 2 [3.0]	(0)	(1) 1	(0)	
CARDIOVASCULAR SYSTEM	2 [0.0]		·		
Blood Vessel	(0)	(1)	(0)	(0)	
Aorta, Inflammation, Chronic	(0)	1 [2.0]	(6)	(0)	
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	(= -)	1 [2.0]	1 [2.0]	1 [2.0]	
Inflammation, Acute	1 [1.0]	1 [1.0]			
Inflammation, Chronic	2 [2.0]	1 [2.0]	1 [1.0]	2 [2.5]	
Mineralization	3 [1.3]	4 [1.8]	2 [1.0]		
Thrombosis	1 [3.0]	1 [3.0]	1 [3.0]		
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Accessory Adrenal Cortical Nodule	5 [3.0]	4 [3.0]	5 [3.0]	1 [3.0]	
Hyperplasia, Focal	1 [2.0]	3 [1.7]	2 [2.0]	4 [1.8]	
Hypertrophy, Focal	12 [1.8]	11 [1.4]	3 [2.0]	5 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006Time Report Reqsted: 07:41:52

First Dose M/F: 08/22/01 / 08/22/01

Lab: SRI

7 [2.6]				
	7 [2.7]	7 [2.6]	2 [2.5]	
(49)	(49)			
1 [2.0]		1 [1.0]		
(50)	(50)	(50)		
27 [2.5]		24 [2.5]	13 [2.0]	
(35)		(37)	(26)	
		1 [3.0]		
(49)		(50)		
		2 [3.0]		
1 [1.0]			1 [1.0]	
(50)		(50)	(50)	
1 [3.0]				
7 [1.3]	14 [1.9]		10 [2.0]	
14 [1.9]	20 [1.8]	15 [2.2]	11 [1.8]	
	(49) 1 [2.0] (50) 27 [2.5] (35) (49) 1 [1.0] (50) 1 [3.0] 7 [1.3]	(49) (49) 1 [2.0] (50) (50) (50) 27 [2.5] 35 [2.3] (35) (28) 1 [3.0] (50) 3 [3.0] 1 [1.0] (50) (50) 1 [3.0] 3 [3.0] 7 [1.3] 14 [1.9]	(49) (49) (50) 1 [2.0] 1 [1.0] (50) (50) (50) 27 [2.5] 35 [2.3] 24 [2.5] (35) (28) (37) 1 [3.0] 1 [3.0] (49) (50) (50) 3 [3.0] 2 [3.0] 1 [1.0] 1 [1.0] (50) (50) (50) 1 [3.0] 3 [3.0] 5 [3.0] 7 [1.3] 14 [1.9] 8 [1.3]	(49) (49) (50) (50) 1 [2.0] 1 [1.0] 3 [1.3] (50) (50) (50) (50) 27 [2.5] 35 [2.3] 24 [2.5] 13 [2.0] (35) (28) (37) (26) 1 [3.0] 1 [3.0] 1 [3.0] (49) (50) (50) (50) 3 [3.0] 2 [3.0] 1 [1.0] 1 [1.0] 1 [1.0] 1 [1.0] (50) (50) (50) (50) 1 [3.0] 3 [3.0] 5 [3.0] 7 [1.3] 14 [1.9] 8 [1.3] 10 [2.0]

GENERAL BODY SYSTEM

None

ENITAL SYSTEM					
Epididymis	(50)	(50)	(50)	(50)	
Atrophy	1 [4.0]				
Fibrosis			1 [3.0]		
Granuloma Sperm		1 [3.0]	1 [3.0]		
Inflammation, Chronic			1 [3.0]	1 [2.0]	
Preputial Gland	(49)	(50)	(50)	(50)	
Cyst	13 [3.0]	14 [3.0]	4 [3.0]	7 [3.0]	
Inflammation, Chronic	17 [2.1]	15 [2.2]	10 [2.2]	11 [2.2]	
Prostate	(50)	(50)	(50)	(50)	
Inflammation, Chronic	1 [3.0]	2 [2.5]	3 [3.0]		
Epithelium, Hyperplasia			2 [2.0]		
Seminal Vesicle	(50)	(50)	(50)	(50)	
Degeneration	1 [3.0]	2 [3.5]	2 [3.0]	2 [3.5]	
Inflammation, Chronic		3 [2.7]	2 [3.0]	1 [3.0]	
Testes	(50)	(50)	(50)	(50)	
Mineralization	1 [3.0]				
Germinal Epithelium, Atrophy	9 [2.2]	6 [2.3]	4 [1.8]	6 [2.2]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

) Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Hyperplasia	21 [2.4]	15 [2.0]	18 [2.3]	14 [2.2]	
Lymph Node	(0)	(2)	(1)	(0)	
Iliac, Hyperplasia, Lymphoid		1 [2.0]			
Lymph Node, Mandibular	(46)	(49)	(45)	(45)	
Atrophy			2 [3.0]	1 [3.0]	
Ectasia		1 [3.0]			
Hyperplasia, Lymphoid	5 [2.2]	7 [2.6]	7 [2.4]	3 [2.3]	
Pigmentation		3 [2.0]	3 [2.0]	1 [2.0]	
Lymph Node, Mesenteric	(48)	(48)	(47)	(50)	
Atrophy	2 [2.0]	3 [2.3]	2 [3.0]	6 [2.2]	
Ectasia		2 [2.5]		1 [2.0]	
Hematopoietic Cell Proliferation	3 [2.0]	2 [1.5]	2 [2.0]	3 [2.0]	
Hemorrhage	3 [1.7]	4 [2.0]	3 [2.0]	8 [1.9]	
Hyperplasia, Lymphoid	4 [2.5]	5 [2.4]	1 [4.0]	3 [2.3]	
Pigmentation				1 [2.0]	
Spleen	(50)	(50)	(50)	(50)	
Fibrosis	, ,	, ,	. ,	1 [2.0]	
Hematopoietic Cell Proliferation	18 [2.8]	20 [2.5]	22 [2.4]	20 [2.4]	
Hyperplasia, Lymphoid				1 [3.0]	
Lymphoid Follicle, Atrophy	2 [2.5]		2 [3.0]	2 [3.0]	
Lymphoid Follicle, Hyperplasia	5 [2.2]	4 [2.0]	1 [2.0]	1 [3.0]	
Red Pulp, Atrophy, Focal	1 [4.0]				
Thymus	(44)	(47)	(43)	(47)	
Átrophy	9 [2.9]	7 [2.9]	9 [3.0]	7 [3.1]	
Cyst	5 [3.0]	8 [3.0]	6 [3.0]	1 [3.0]	
Hyperplasia, Lymphoid		1 [2.0]		1 [2.0]	
NTEGUMENTARY SYSTEM					
Skin	(50)	(50)	(50)	(50)	
Cyst Epithelial Inclusion	1	1	1	(30)	
Inflammation, Chronic	1	ı	2 [3.0]		
Metaplasia, Osseous		1 [3.0]	ران. و		
Ulcer		1 [3.0]	1 [4.0]	1 [4.0]	
Epidermis, Hyperplasia		1 [3.0]	3 [3.0]	ال.٠٠]	
Epideiiiis, riypeipiasia		1 [3.0]	ა [ა.ს]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Time Report Regsted: 07:41:52

Date Report Regsted: 07/11/2006

First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
MUSCULOSKELETAL SYSTEM					
Bone Cranium, Osteopetrosis	(50) 1 [3.0]	(50) 1 [2.0]	(50) 1 [3.0]	(50)	
Skeletal Muscle	(0)	(0)	(2)	(0)	
NERVOUS SYSTEM					
Brain Compression	(50) 1 [2.0]	(50)	(50) 1 [2.0]	(50)	
Hemorrhage		2 [2.0]			
Necrosis Peripheral Nerve	1 [1.0] (1)	2 [2.0] (1)	1 [2.0] (1)	(0)	
Atrophy	1 [1.0]	(1)	(1)	(0)	
RESPIRATORY SYSTEM					
Lung Foreign Body	(50)	(50)	(50) 1	(50)	
Hemorrhage	1 [1.0]	2 [1.5]	2 [1.0]	1 [1.0]	
Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte	4 [3.3]	1 [2.0] 11 [3.2]	6 [2.8]	6 [2.5]	
Infiltration Cellular, Polymorphonuclear	4 [5.5]	11 [3.2]	0 [2.0]	1 [3.0]	
Metaplasia, Osseous		1 [1.0]		4 [0 0]	
Thrombosis Alveolar Epithelium, Hyperplasia	2 [1.0]	6 [2.0]	3 [2.0]	1 [2.0] 3 [1.7]	
Nose	(50)	(50)	(50)	(50)	
Inflammation, Chronic	1 [2.0]	1 [2.0]		1 [2.0]	
SPECIAL SENSES SYSTEM					
Ear	(0)	(1)	(0)	(0)	
Eye Atrophy	(50)	(50)	(50) 1 [4.0]	(50)	
Cataract		3 [3.0]	1 [2.0]		
Inflammation, Chronic	2 [2.5]	1 [2.0]			
Cornea, Hyperplasia Retina, Degeneration	2 [2.0]	2 [3.0]	1 [2.0]		
Harderian Gland	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

Lab: SRI

B6C3F1 MICE MALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
Cyst			1 [3.0]		
Hyperplasia, Focal		2 [2.0]			
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Casts Granular			1 [3.0]		
Infarct	7 [1.7]	7 [1.4]	10 [2.0]	7 [1.9]	
Inflammation			1 [2.0]		
Inflammation, Suppurative		1 [3.0]	1 [3.0]		
Metaplasia, Osseous	5 [1.6]	1 [3.0]	4 [1.5]	4 [1.0]	
Nephropathy	47 [1.4]	46 [1.3]	47 [1.3]	48 [1.6]	
Glomerulus, Dilatation			1 [3.0]		
Glomerulus, Hyalinization			1 [4.0]		
Pelvis, Dilatation		1 [1.0]	3 [1.7]	3 [2.3]	
Pelvis, Inflammation		1 [2.0]		1 [2.0]	
Renal Tubule, Accumulation, Hyaline Droplet			1 [3.0]		
Renal Tubule, Cyst	11	13	8	2	
Renal Tubule, Hyperplasia		1 [1.0]	1 [1.0]	1 [2.0]	
Renal Tubule, Hypertrophy		1 [1.0]	2 [1.5]		
Renal Tubule, Pigmentation		2 [2.5]		1 [4.0]	
Urethra	(0)	(0)	(0)	(1)	
Inflammation, Chronic	· · ·	. ,	,	1 [2.0]	
Urinary Bladder	(50)	(50)	(50)	(50)	
Calculus Micro Observation Only	,	. ,	`1 ´	,	
Hemorrhage				2 [3.0]	
Inflammation, Chronic		1 [3.0]	1 [3.0]	2 [2.5]	
Transitional Epithelium, Hyperplasia		2 [2.0]	1 [2.0]	1 [3.0]	

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

) Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
Disposition Summary					
Animals Initially in Study	50	50	50	50	
Early Deaths Accidently Killed		3	3		
Moribund Sacrifice	3	5	3	1	
Natural Death	11	6	4	2	
Survivors		-			
Natural Death	1		1	1	
Terminal Sacrifice	35	36	42	46	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Gallbladder	(46)	(49)	(49)	(45)	
Cyst	(40)	(47)	(40)	1 [3.0]	
Intestine Large, Cecum	(46)	(47)	(48)	(48)	
Edema Ulcer	1 [3.0] 1 [3.0]	1 [2.0]			
Intestine Small, Duodenum	(47)	(47)	(47)	(50)	
Erosion	1 [3.0]	(47)	(47)	(30)	
Ulcer	1 [0.0]	1 [3.0]			
Intestine Small, Ileum	(47)	(47)	(49)	(50)	
Intestine Small, Jejunum	(45)	(47)	(49)	(50)	
Inflammation, Suppurative	1 [3.0]	, ,	, ,	` '	
Peyer's Patch, Necrosis		1 [3.0]			
Liver	(50)	(50)	(50)	(50)	
Angiectasis	0	r	1 [3.0]	4	
Basophilic Focus Clear Cell Focus	2 4	5 1	3 2	1 5	
Cyst	1	1 [3.0]	2	1 [3.0]	
Eosinophilic Focus	6	12	1	4	
Hematopoietic Cell Proliferation	3 [2.7]	2 [2.5]	3 [2.0]	1 [3.0]	
Hemorrhage	1 [1.0]	2 [3.0]	F -3	1 [1.0]	
Infiltration Cellular, Lymphoid				1 [2.0]	
Infiltration Cellular, Mixed Cell	7 [2.4]	6 [1.7]	4 [2.0]	7 [2.4]	
Mixed Cell Focus			1	2	
Necrosis	2 [2.5]	5 [1.4]		1 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
Necrosis, Focal	2 [2.0]				
Tension Lipidosis			1		
Centrilobular, Atrophy, Hepatocyte			1 [2.0]		
Centrilobular, Necrosis	2 [1.5]	1 [2.0]			
Hepatocyte, Vacuolization Cytoplasmic	6 [3.3]	7 [3.0]	2 [3.0]	2 [3.0]	
Mesentery	(12)	(13)	(15)	(7)	
Hemorrhage	1 [2.0]			1 [2.0]	
Infiltration Cellular, Lymphoid			1 [4.0]		
Fat, Necrosis	8 [3.3]	10 [3.0]	10 [2.2]	4 [3.3]	
Pancreas	(49)	(50)	(48)	(50)	
Atrophy	1 [1.0]	1 [4.0]		2 [3.5]	
Cyst		2 [3.0]		1 [3.0]	
Inflammation, Chronic			1 [4.0]		
Salivary Glands	(50)	(50)	(50)	(50)	
Atrophy			2 [2.0]	1 [2.0]	
Hyperplasia, Lymphoid	8 [2.1]	10 [2.3]	9 [2.3]	10 [2.1]	
Infiltration Cellular, Lymphoid				1 [2.0]	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Diverticulum	1			3	
Inflammation, Chronic	1 [2.0]			1 [2.0]	
Ulcer	4 [1.8]	1 [1.0]			
Epithelium, Hyperplasia	8 [1.5]	5 [2.2]	4 [2.8]	4 [1.8]	
Epithelium, Hyperplasia, Lymphoid	1 [2.0]				
Stomach, Glandular	(50)	(50)	(50)	(50)	
Erosion	2 [2.5]	1 [2.0]	1 [3.0]		
Hyperplasia	1 [2.0]				
Metaplasia, Squamous			1 [2.0]		
Ulcer			1 [3.0]		
Epithelium, Degeneration	1 [2.0]				
Epithelium, Dysplasia	1 [2.0]				
Tooth	(0)	(1)	(0)	(0)	
ARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	2 [2.0]	1 [2.0]		1 [2.0]	
Inflammation, Chronic				1 [1.0]	
Mineralization	2 [1.5]	1 [1.0]	1 [3.0]		
Thrombosis		1 [4.0]	1 [4.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

Lab: SRI

1 [3.0]

1 [3.0]

B6C3F1 MICE FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Accessory Adrenal Cortical Nodule Infiltration Cellular, Lymphoid Vacuolization Cytoplasmic	8 [3.0]	9 [3.0]	10 [3.0]	(30) 11 [3.0] 1 [2.0] 1 [4.0]	
Subcapsular, Hyperplasia	1 [2.0]			3 [2.0]	
Adrenal Medulla	(50)	(49)	(50)	(50)	
Hyperplasia	1 [2.0]	1 [1.0]		5 [1.2]	
Islets, Pancreatic	(49)	(50)	(48)	(50)	
Hyperplasia	2 [2.0]	1 [2.0]	2 [2.0]	2 [2.5]	
Parathyroid Gland	(25)	(19)	(29)	(25)	
Cyst Pituitary Gland	(48)	1 [3.0] (49)	1 [3.0] (48)	1 [3.0] (49)	
Pars Distalis, Angiectasis	(40)	1 [2.0]	1 [3.0]	(49)	
Pars Distalis, Cyst	1 [3.0]	1 [2.0]	2 [3.0]	2 [3.0]	
Pars Distalis, Hyperplasia	. [0.0]		2 [0.0]	1 [2.0]	
Pars Distalis, Hyperplasia, Focal	5 [1.6]	9 [1.9]	6 [1.8]	10 [1.7]	
Thyroid Gland	(49)	(50)	(50)	(50)	
Follicle, Cyst	3 [3.0]	2 [3.0]	1 [3.0]	3 [3.0]	
Follicle, Degeneration, Focal	15 [1.7]	17 [1.8]	22 [2.0]	19 [2.2]	
Follicular Cell, Hyperplasia	11 [1.8]	13 [1.9]	12 [2.1]	6 [1.3]	
GENERAL BODY SYSTEM					
None					
GENITAL SYSTEM					
Clitoral Gland Inflammation, Chronic	(47)	(49)	(50)	(49) 1 [2.0]	
Ovary	(50)	(46)	(47)	(48)	
Angiectasis	(/	1 [3.0]	2 [2.0]	2 [2.5]	
Cyst	14 [3.1]	13 [3.0]	13 [3.0]	16 [3.0]	
Hemorrhage	5 [3.2]	4 [2.3]	5 [2.4]	5 [2.2]	
Hyperplasia, Tubular, Focal			1 [2.0]	4 [0.0]	

Corpus Luteum, Hyperplasia

Granulosa Cell, Hyperplasia

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Time Report Reqsted: 07:41:52

Date Report Regsted: 07/11/2006

First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
Thecal Cell, Hyperplasia				1 [3.0]	
Uterus	(50)	(50)	(50)	(50)	
Angiectasis	1 [3.0]	2 [3.5]	2 [2.5]	1 [2.0]	
Inflammation, Chronic	1 [2.0]	1 [3.0]			
Pigmentation		1 [4.0]		1 [3.0]	
Endometrium, Fibrosis		1 [3.0]			
Endometrium, Hyperplasia, Cystic	45 [3.1]	43 [3.1]	45 [3.0]	49 [3.2]	
IEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Angiectasis	1 [3.0]		4.54.03		
Hemorrhage	45.50.43	40.50 =	1 [1.0]	0.10.03	
Hyperplasia	15 [2.4]	10 [2.7]	12 [2.7]	8 [2.3]	
Hyperplasia, Histiocytic	(44)	(0)	(0)	1 [3.0]	
Lymph Node	(11)	(9)	(6)	(3)	
Iliac, Ectasia		1 [3.0]	4 [0.0]		
Iliac, Hematopoietic Cell Proliferation Iliac, Hemorrhage	4 [2 0]		1 [2.0]		
lliac, Hemorriage Iliac, Hyperplasia, Lymphoid	1 [3.0] 1 [2.0]	1 [2.0]	1 [2.0]		
Inguinal, Hyperplasia, Lymphoid	1 [2.0]	1 [2.0]	1 [3.0]		
Mediastinal, Hyperplasia, Lymphoid	2 [3.0]		1 [4.0]		
Renal, Hemorrhage	1 [3.0]		1 [4.0]		
Renal, Hyperplasia, Lymphoid	1 [0.0]	1 [4.0]	1 [2.0]		
Lymph Node, Mandibular	(48)	(50)	(49)	(49)	
Ectasia	(10)	1 [2.0]	(10)	()	
Hematopoietic Cell Proliferation		. [=.0]	1 [2.0]		
Hemorrhage			1 [2.0]	2 [1.5]	
Hyperplasia, Lymphoid	6 [2.5]	3 [2.7]	8 [2.8]	5 [2.2]	
Pigmentation	9 [2.0]	14 [2.1]	8 [2.1]	5 [2.0]	
Lymph Node, Mesenteric	(48)	(49)	(49)	(50)	
Atrophy	,	2 [2.5]	, ,	1 [2.0]	
Ectasia		1 [4.0]			
Hematopoietic Cell Proliferation	1 [2.0]	1 [1.0]	1 [2.0]	2 [2.0]	
Hemorrhage	3 [2.7]	3 [3.0]		1 [4.0]	
Hyperplasia, Lymphoid	3 [2.7]	6 [2.3]	4 [2.8]	5 [2.2]	
Spleen	(48)	(50)	(48)	(50)	
Hematopoietic Cell Proliferation	33 [2.5]	32 [2.2]	26 [2.2]	25 [2.1]	
Pigmentation	3 [3.0]	1 [3.0]			
Lymphoid Follicle, Atrophy		3 [2.3]			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

Lab: SRI

B6C3F1 MICE FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L
BOCSFI MICE FEMALE	U WIG/L	50 WG/L	100 MG/L	200 MG/L
Lymphoid Follicle, Hyperplasia	14 [2.1]	18 [1.6]	21 [1.7]	25 [1.8]
Thymus	(46)	(47) 5 (2 0)	(50) 5 (3 0)	(49)
Åtrophy Cyst	4 [2.8]	5 [3.0] 1 [3.0]	5 [3.0] 2 [3.0]	2 [3.0]
Hyperplasia, Lymphoid	6 [2.3]	1 [3.0]	7 [2.6]	6 [2.5]
NTEGUMENTARY SYSTEM				
Mammary Gland	(50)	(50)	(49)	(50)
Hyperplasia	6 [1.8]	2 [2.5]	2 [1.5]	2 [2.0]
Skin	(50)	(50)	(50)	(50)
Edema Inflammation, Chronic		1 [3.0] 2 [1.0]	1 [3.0]	
Ulcer	1 [4.0]	1 [4.0]	1 [3.0]	
Epidermis, Hyperplasia		3 [1.0]	1 [2.0]	
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Myelofibrosis	2 [2.0]	2 [2.5]	1 [2.0]	1 [2.0]
Cranium, Osteopetrosis Skeletal Muscle	1 [2.0] (2)	(4)	(1)	(0)
GREIGIAI MUSCIE	(2)	(4)	(1)	(0)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Compression	1 [4.0]	1 [4.0]	4	1 [4.0]
Cyst Epithelial Inclusion Hemorrhage		1 [3.0]	1 1 [3.0]	1
Necrosis	1 [3.0]	ران.در	رای.ن	
Peripheral Nerve	(2)	(2)	(0)	(0)
Atrophy	1 [3.0]	1 [3.0]		
Inflammation, Chronic Spinal Cord	1 [2.0] (2)	(2)	(0)	(0)
Opiniai Oola	(<i>L</i>)	(_)	(0)	(0)

RESPIRATORY SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

B6C3F1 MICE FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L	
Lung Hemorrhage Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte Alveolar Epithelium, Hyperplasia Nose Foreign Body Hemorrhage	(50) 3 [1.3] 2 [2.0] 5 [2.0] 2 [3.0] (50) 2 1 [3.0]	(50) 3 [1.7] 1 [3.0] 7 [2.4] 1 [1.0] (50)	(50) 1 [4.0] 1 [2.0] (50)	(50) 3 [1.3] 3 [2.7] 5 [2.4] (50)	
Inflammation, Chronic	1 [1.0]	1 [3.0]			
SPECIAL SENSES SYSTEM					
Eye Atrophy	(50)	(50) 1 [4.0]	(50)	(49)	
Cataract Inflammation, Chronic Cornea, Hyperplasia		. ,	2 [2.0] 2 [2.0]	2 [1.0] 2 [2.5] 2 [2.5]	
Retina, Degeneration Harderian Gland Hyperplasia, Focal	1 [2.0] (50) 2 [2.0]	(50) 1 [3.0]	2 [3.0] (50) 1 [2.0]	2 [2.0] (50)	
URINARY SYSTEM					
Kidney Casts Granular	(50)	(50)	(50) 1 [2.0]	(50) 1 [2.0]	
Infarct Inflammation, Suppurative	6 [2.2]	8 [2.4]	7 [2.7] 1 [3.0]	4 [2.3]	
Inflammation, Chronic Metaplasia, Osseous Nephropathy Pelvis, Dilatation	1 [2.0] 9 [1.1] 1 [2.0]	4 [2.0] 1 [1.0] 7 [1.1]	2 [1.0] 3 [1.3] 1 [2.0]	1 [2.0] 7 [1.1]	
Renal Tubule, Accumulation, Hyaline Droplet Renal Tubule, Cyst	1 [3.0] 1	1 [2.0]	1 [3.0] 1 [3.0] 1	1	
Renal Tubule, Pigmentation Urinary Bladder Inflammation, Chronic	1 [2.0] (50) 4 [2.0]	(50) 5 [2.4]	(50) 7 [2.0]	(50) 4 [2.3]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 96015 - 06
Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)

CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006

Time Report Reqsted: 07:41:52 First Dose M/F: 08/22/01 / 08/22/01

Lab: SRI

B6C3F1 MICE FEMALE	0 MG/L	50 MG/L	100 MG/L	200 MG/L

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)